



PHEROMONE PRODUCT USAGE INFORMATION

Species	Common Name	Pheromone Type	Wks.	Spacing Requirements	Trap Type*	Trap Location
<i>Lasioderma serricorne</i>	Cigarette Beetle	Female Sex	8	5 – 15 m	NS, PP, PC, LL	Floor, Shelf, Eye Level
<i>Stegobium paniceum</i>	Drugstore Beetle	Female Sex	6	5 – 10 m	NS, LL	Floor, Shelf, Eye Level
<i>Anobium punctatum</i>	Drugstore Beetle	Female Sex	6	5 – 10 m	NS, LL	Floor, Shelf, Eye Level
<i>Rhizopertha dominica</i>	Lesser Grain Borer	Male Aggregation	8	5 – 15 m	NS, PC, Cone	Shelf, Eye Level, Grain
<i>Prostephanus truncatus</i>	Larger Grain Borer	Male Aggregation	8	5 – 15 m	NS, PC, Cone	Shelf, Eye Level, Grain
<i>Sitophilus oryzae</i>	Rice Weevil	Male Aggregation	4	2 – 5 m	PC, PP, Cone	Shelf, Floor, Grain
<i>Sitophilus zeamais</i>	Maize Weevil	Male Aggregation	4	2 – 5 m	PC, PP, Cone	Shelf, Floor, Grain
<i>Sitophilus granaries</i>	Granery Weevil	Food Attractant	4	2 – 5 m	PC, Cone	Shelf, Floor, Grain
<i>Trogoderma variabile</i>	Warehouse Beetle	Female Sex	10	5 – 15 m	NS, PP, LL	Floor, Shelf, Eye Level
<i>Trogoderma granarium</i>	Khapra Beetle	Female Sex	10	5 – 15 m	NS, PP, LL	Floor, Shelf, Eye Level
<i>Anthrenus verbasci</i>	Varied Carpet Beetle	Female Sex	8	2 – 7 m	NS, LL	Floor, Shelf
<i>Attagenus</i> spp.	Black Carpet Beetle	Female Sex	6	2 – 7 m	NS, LL	Floor, Shelf

Order online today at www.flytechsupply.com

877-924-4616



PHEROMONE PRODUCT USAGE INFORMATION

Species	Common Name	Pheromone Type	Wks.	Spacing Requirements	Trap Type*	Trap Location
Sitotroga cerealella	Angourmois Grain Moth	Female Sex	8	5 – 15 m	NS, LL	Floor, Shelf, Eye Level
Plodia interpunctella	Indianmeal Moth	Female Sex	8	5 – 15 m	NS, PP, LL	Floor, Shelf, Eye Level
Ephestia kuehniella	Mediterranean Flour Moth	Female Sex	8	5 – 15 m	NS, PP, LL	Floor, Shelf, Eye Level
Cadra figulilella	Raisin Moth	Female Sex	8	5 – 15 m	NS, PP, LL	Floor, Shelf, Eye Level
Ephestia elutella	Tobacco Moth	Female Sex	8	5 – 15 m	NS, PP, LL	Floor, Shelf, Eye Level
Ephestia cautella	Almond Moth	Female Sex	8	5 – 15 m	NS, PP, LL	Floor, Shelf, Eye Level
Tribolium castaneum	Red Flour Beetle	Male Aggregation	8	2 – 5 m	PP, PC, LL	Floor, Shelf
Tribolium confusum	Confused Flour Beetle	Male Aggregation	8	2 – 5 m	PP, PC, LL	Floor, Shelf
Tineola bisselliella	Webbing Clothes Moth	Female Sex	8	2 – 5 m	NS, LL	Floor, Shelf
Tinea pellionella	Casemaking Clothes Moth	Female Sex	8	2 – 5 m	NS, LL	Floor, Shelf
Oryzeophilus surinamensis	Sawtoothed Grain Beetle	Food Attractant	4	2 – 7 m	PP, PC	Floor, Shelf
Oryzeophilus mercator	Merchant Grain Beetle	Food Attractant	4	2 – 7 m	PP, PC	Floor, Shelf



PHEROMONE PRODUCT USAGE INFORMATION

TABLE KEY/INFORMATION

Blue Text = Product not currently available

TRAP TYPES

NS = No Survivor Indoor & Outdoor	PP = Pantry Patrol*	PC = PC Floor Trap	Cone = PC Cone Trap
LL = Low Lying Trap (could indicate flat traps, sanitrap, serrico traps, trapper monitor traps, etc.)			

*Pantry Patrol contains a food grade oil which attracts food pest beetles for a period of three months or more depending on temperatures present, as well as containing the pheromones for cigarette beetle, warehouse beetle, flour beetles and the Pyralid moth complex. This product contains a food attractant to extend the attractiveness of the trap beyond the life of the pheromone.

The "Weeks" column indicates the shelf life of each product; the amount of time each lure remains effective in the trap after it has been removed from its original package. If unopened and refrigerated, the lures should remain effective for a period of two years; one year if kept at room temperature.

PLEASE NOTE: All information provided herein is based on typical temperatures, humidity and wind conditions in the Midwest portion of the United States. Environments with extreme heat, low humidity and high winds will affect pheromone and trap performance as well as product longevity in a negative manner.